

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	176	stub with parameter same (remote near3 (procedure method) rpc rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 08:18
L3	1	stub with parameter near2 list same (remote near3 (procedure method) rpc rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 08:18
L4	5	stub same parameter near2 list same (remote near3 (procedure method) rpc rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 08:21
L7	12	stub same parameter near2 (structure list) same (remote near3 (procedure method) rpc rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 08:24
L8	46	parameter near2 (structure list) with (remote near3 (procedure method) rpc rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:47
L10	98	(input parameter) near2 (list) same (remote near3 (procedure method) rpc rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 10:47
L27	0	(xpcom uno java) same (intermed\$6 bridge) same (proxy stub) near2 (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L28	0	(xpcom uno) same (java) same (intermed\$6 universal) with bridge	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L29	1	java same uno same protocol same proxy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L30	1	intermediary adj protocol with proxy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L31	2	(uno java xpcom) with (bridge) with (universal generic)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L32	3	(intermediary universal generic) adj protocol same (translat\$3 conversion convert\$4 marshal\$4 unmarshal\$4) same proxy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12

EAST Search History

L33	5	(conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure or call or request or message)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L34	5	(conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure or call or request)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L35	5	(conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure or call)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L36	5	(conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L37	2	protocol with (conver\$8 or translat\$3) with (intermedia\$8) adj protocol and (remote adj (method or procedure or call))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L38	2	java with intermediate with (bridge proxy stub)	USPAT	OR	ON	2007/07/10 11:12
L39	2	(uno java xpcor) with (bridge) with (intermed\$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L40	7	(xpcor uno java) same (intermed\$6 bridge) same (proxy stub handler) near2 (protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L41	3	java same uno same (convert\$3 conversion translat\$3 marshal\$4 unmarshalling decod\$3 encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L42	3	java same uno same protocol same (convert\$3 conversion translat\$3 marshal\$4 unmarshalling decod\$3 encod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L43	3	blackconnect	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/10 11:12
L44	6	(xpcor uno java) same (intermed\$6 bridge) same (proxy stub) same (remote adj2 (method procedure function) rpc rmi)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L45	4	(xpcor uno) same (remote adj2 (method procedure))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L46	4	java same uno same protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12

EAST Search History

L47	7	(intermediary universal generic) adj (protocol format) same (translat\$3 conversion convert\$4 marshal\$4 unmarshal\$4) same proxy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L48	9	(conver\$8 or translat\$3) same (universal or global) near protocol and remote adj (method or procedure or call or request or message)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L49	10	(conver\$8 or translat\$3) same (universal or global) near (protocol or bridge or wrapper or proxy) and remote adj (method or procedure or call or request or message)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L50	5	(xpcom uno) same (java) same (intermed\$6 universal)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L51	5	(xpcom uno java) same (intermed\$6 bridge) same (proxy stub handler) near5 (language)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L52	15	(conver\$8 or translat\$3) same (universal or global or (platform near independent)) near (protocol or bridge or wrapper or proxy) and remote adj (method or procedure or call or request or message)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L53	28	protocol with bridge same (remote adj (procedure or method))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L54	29	java with com with bridge	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L55	10	(xpcom uno) same (java) same bridge	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L56	34	java with (com or xpcom or dcom or dom) with bridge	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L57	34	java with (com or xpcom or dcom) with bridge	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L58	23	(convert\$3 conversion translat\$3 decod\$3 encod\$3) with proxy same (marshal\$4 unmarshalling)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L59	27	(connect or *connect) adj protocol and java	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L60	29	(application software program) with (mediat\$3) with protocol with (convert\$3 conversion translat\$3 encod\$3 decod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12

EAST Search History

L61	41	(intermediary universal generic common) adj (protocol format) same (translat\$3 conversion convert\$4 marshal\$4 unmarshal\$4) same proxy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L62	53	protocol with (conver\$8 or translat\$3) same first adj protocol same second adj protocol same third adj protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L63	48	(rpc remote adj procedure rmi) same (proxy stub) same ("asn.1" datagram tcp udp) same (convert\$3 translat\$3 marshal\$4 unmarshal\$4 encod\$3 decod\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L64	69	protocol with (conver\$8 or translat\$3) with (intermedia\$8) adj protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L65	67	java with (convert\$3 conversion translat\$3 marshal\$4 unmarshalling decod\$3 encod\$3) with proxy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L66	77	(conver\$8 or translat\$3) same ((multi or multiple) adj (protocol or format)) and remote adj (method or procedure)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L67	86	(convert\$3 conversion translat\$3 decod\$3 encod\$3) with (orb stub proxy) same (marshal\$4 unmarshalling)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L68	81	(uno java xpcom) with (bridge) same (convert\$3 conversion translat\$3 map mapping)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L69	149	(rpc remote adj procedure rmi) same (proxy stub) same ("asn.1" datagram tcp udp)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L70	110	(xpcom uno java) same (intermed\$6 bridge) same (proxy stub)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L71	232	(conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L72	342	protocol with (conver\$8 or translat\$3) with first with second with third	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L73	296	(application software program) with (mediat\$3) with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12

EAST Search History

L74	430	(connect or *connect) adj protocol	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L75	700	protocol with (conver\$8 or translat\$3) with (intermedia\$8)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2007/07/10 11:12
L76	498	(719/330). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/07/10 11:12
L77	583	(719/316). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/07/10 11:12
L78	1021	(719/315). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/07/10 11:30